

FIRESTONE (põllumajandus)

Kehtib alates 04.01.2012.a.



	Mõõt	Hind km-ta	Hind km-ga
	R1085, R1070		
3616	250/85 R24 R1085 TL 109A106B	354,0,-	424,8,-
3618	280/85 R24 R1085 TL 115A112B	442,0,-	530,4,-
3627	320/70 R24 R1070 TL 116A116B	554,0,-	664,8,-
3610	320/85 R24 R1085 TL 122A119B	517,0,-	620,4,-
3619	340/85 R24 R1085 TL 125A122B	595,0,-	714,0,-
3628	360/70 R24 R1070 TL 122A122B	631,0,-	757,2,-
3607	380/85 R24 R1085 TL 131A128B	686,0,-	823,2,-
3630	420/70 R24 R1070 TL 130A130B	826,0,-	991,2,-
3613	420/85 R24 R1085 TL 137A134B	871,0,-	1045,2,-
3631	480/70 R24 R1070 TL 138A138B	1065,0,-	1278,0,-
3615	280/85 R28 R1085 TL 118A115B	484,0,-	580,8,-
3614	320/85 R28 R1085 TL 124A121B	545,0,-	654,0,-
3620	340/85 R28 R1085 TL 127A124B	665,0,-	798,0,-
3632	360/70 R28 R1070 TL 125A125B	669,0,-	802,8,-
3633	380/70 R28 R1070 TL 127A127B	815,0,-	978,0,-
3621	380/85 R28 R1085 TL 133A130B	736,0,-	883,2,-
3634	420/70 R28 R1070 TL 133A133B	901,0,-	1081,2,-
3609	420/85 R28 R1085 TL 139A136B	959,0,-	1150,8,-
3635	480/70 R28 R1070 TL 140A140B	1174,0,-	1408,8,-
3623	420/85 R30 R1085 TL 140A137B	1052,0,-	1262,4,-
3636	480/70 R30 R1070 TL 141A141B	1288,0,-	1545,6,-
3622	420/85 R34 R1085 TL 142A139B	1106,0,-	1327,2,-
3637	480/70 R34 R1070 TL 143A143B	1358,0,-	1629,6,-
3638	520/70 R34 R1070 TL 148A148B	1695,0,-	2034,0,-
3624	340/85 R36 R1085 TL 132A129B	731,0,-	877,2,-
3617	340/85 R38 R1085 TL 133A130B	803,0,-	963,6,-
3611	420/85 R38 R1085 TL 144A141B	1220,0,-	1464,0,-
3608	460/85 R38 R1085 TL 149A146B	1561,0,-	1873,2,-
3639	480/70 R38 R1070 TL 145A145B	1474,0,-	1768,8,-
3640	520/70 R38 R1070 TL 150A150B	1921,0,-	2305,2,-
3612	520/85 R38 R1085 TL 155A152B	2073,0,-	2487,6,-
3641	580/70 R38 R1070 TL 155A155B	2551,0,-	3061,2,-
	Traktorite radiaalrehvid		
54394	280/70 R16 R4000 TL 112A109B	459,0,-	550,8,-
54392	7.50 R16 R4000 TL 102A99B	267,0,-	320,4,-
54395	280/70 R18 R4000 TL 114A111B	476,0,-	571,2,-
54393	7.50 R18 R4000 TL 104A101B	270,0,-	324,0,-
54442	280/70 R20 R4000 TL 116A113B	498,0,-	597,6,-
2363	280/85 R20 PERF85 TL 112A112B	392,0,-	470,4,-
54396	300/70 R20 R4000 TL 120A117B	583,0,-	699,6,-
54443	320/70 R20 R4000 TL 123A120B	643,0,-	771,6,-
4129	320/70 R20 R4000 XL TL 130A130B	662,0,-	794,4,-

	Mõõt	Hind km-ta	Hind km-ga
4868	320/85 R20 PERF85 119D TL	489,0,-	586,8,-
54444	360/70 R20 R4000 TL 129A126B	706,0,-	847,2,-
2364	250/85 R24 PERF85 TL 109A109B	354,0,-	424,8,-
3616	250/85 R24 R1085 TL 109A106B	354,0,-	424,8,-
2365	280/85 R24 PERF85 TL 115A115B	442,0,-	530,4,-
4123	280/85 R24 PERF85 XL TL 130A130B	455,0,-	546,0,-
3618	280/85 R24 R1085 TL 115A112B	442,0,-	530,4,-
3410	320/70 R24 PERF70 TL 116D113E	554,0,-	664,8,-
3627	320/70 R24 R1070 TL 116A116B	554,0,-	664,8,-
2366	320/85 R24 PERF85 TL 122A122B	517,0,-	620,4,-
3610	320/85 R24 R1085 TL 122A119B	517,0,-	620,4,-
1071	340/85 R24 PERF85 TL 125A125B	595,0,-	714,0,-
4124	340/85 R24 PERF85 XL TL 137A137B	612,0,-	734,4,-
3619	340/85 R24 R1085 TL 125A122B	595,0,-	714,0,-
3411	360/70 R24 PERF70 TL 122D119E	631,0,-	757,2,-
3628	360/70 R24 R1070 TL 122A122B	631,0,-	757,2,-
3412	380/70 R24 PERF70 TL 125D122E	726,0,-	871,2,-
2367	380/85 R24 PERF85 TL 131A131B	686,0,-	823,2,-
3607	380/85 R24 R1085 TL 131A128B	686,0,-	823,2,-
3413	420/70 R24 PERF70 TL 130D127E	826,0,-	991,2,-
4130	420/70 R24 PERF70 XL TL 142A142B	851,0,-	1021,2,-
3630	420/70 R24 R1070 TL 130A130B	826,0,-	991,2,-
2368	420/85 R24 PERF85 TL 137A137B	871,0,-	1045,2,-
4125	420/85 R24 PERF85 XL TL 142A142B	898,0,-	1077,6,-
3613	420/85 R24 R1085 TL 137A134B	871,0,-	1045,2,-
54399	440/65 R24 R9000EV TL 128A128B	812,0,-	974,4,-
54356	480/65 R24 R9000EV TL 133A133B	954,0,-	1144,8,-
3414	480/70 R24 PERF70 TL 138D135E	1065,0,-	1278,0,-
3631	480/70 R24 R1070 TL 138A138B	1065,0,-	1278,0,-
4722	500/70 R24 DURA-UT 157A8 TL	1303,0,-	1563,6,-
54357	540/65 R24 R9000EV TL 140A140B	1212,0,-	1454,4,-
54147	14.9 R26 RATFWD *3 TL 132A132B	984,0,-	1180,8,-
54105	18.4 R26 RATFWD *2 TL 140A140B	1374,0,-	1648,8,-
54423	420/85 R26 RATFWD *2 TL 138A138B R-1	1120,0,-	1344,0,-
54215	16.9 R28 RADCSG *2 TL 136A R-2	1243,0,-	1491,6,-
2369	250/85 R28 PERF85 TL 112A112B	384,0,-	460,8,-
2370	280/85 R28 PERF85 TL 118A118B	484,0,-	580,8,-
3615	280/85 R28 R1085 TL 118A115B	484,0,-	580,8,-
2371	320/85 R28 PERF85 TL 124A124B	545,0,-	654,0,-
3614	320/85 R28 R1085 TL 124A121B	545,0,-	654,0,-
2372	340/85 R28 PERF85 TL 127A127B	665,0,-	798,0,-
3620	340/85 R28 R1085 TL 127A124B	665,0,-	798,0,-
3415	360/70 R28 PERF70 TL 125D122E	669,0,-	802,8,-
3632	360/70 R28 R1070 TL 125A125B	669,0,-	802,8,-
3416	380/70 R28 PERF70 TL 127D124E	815,0,-	978,0,-
3633	380/70 R28 R1070 TL 127A127B	815,0,-	978,0,-
2373	380/85 R28 PERF85 TL 133A133B	736,0,-	883,2,-
54426	380/85 R28 RATFWD TL 133A	736,0,-	883,2,-

	Mõõt	Hind km-ta	Hind km-ga
3621	380/85 R28 R1085 TL 133A130B	736,0,-	883,2,-
3417	420/70 R28 PERF70 TL 133D130E	901,0,-	1081,2,-
3634	420/70 R28 R1070 TL 133A133B	901,0,-	1081,2,-
2374	420/85 R28 PERF85 TL 139A139B	959,0,-	1150,8,-
4128	420/85 R28 PERF85 XL TL 150A150B	988,0,-	1185,6,-
3609	420/85 R28 R1085 TL 139A136B	959,0,-	1150,8,-
54427	420/85 R28 RATFWD TL 139A	1087,0,-	1304,4,-
54400	440/65 R28 R9000EV TL 131A131B	926,0,-	1111,2,-
54358	480/65 R28 R9000EV TL 136A136B	1024,0,-	1228,8,-
1253	480/65 R28 R9000EV TL 136A136B HARMTYRE	1024,0,-	1228,8,-
3418	480/70 R28 PERF70 TL 140D137E	1174,0,-	1408,8,-
4131	480/70 R28 PERF70 XL TL 151A151B	1210,0,-	1452,0,-
3635	480/70 R28 R1070 TL 140A140B	1174,0,-	1408,8,-
54359	540/65 R28 R9000EV TL 142A142B	1361,0,-	1633,2,-
1255	540/65 R28 R9000EV TL 142A142B HARMTYRE	1361,0,-	1633,2,-
1075	600/65 R28 MAXTRAC TL 154A154B SEVERE	1974,0,-	2368,8,-
3303	600/70 R28 MAXTRAC TL 157A157B	2505,0,-	3006,0,-
2478	600/70 R28 RATDT TL 152A152B	2481,0,-	2977,2,-
54324	16.9 R30 RADCSG *3 TL 141A R-2	1363,0,-	1635,6,-
4293	380/85 R30 PERF85 TL 135D132D	985,0,-	1182,0,-
54422	380/85 R30 RATFWD TL 135A135B R-1	1137,0,-	1364,4,-
2376	420/85 R30 PERF85 TL 140A140B	1052,0,-	1262,4,-
3623	420/85 R30 R1085 TL 140A137B	1052,0,-	1262,4,-
2375	460/85 R30 PERF85 TL 145A145B	1339,0,-	1606,8,-
54364	460/85 R30 R7000 TL 145A142B 18.4R30	1339,0,-	1606,8,-
3420	480/70 R30 PERF70 TL 141D138E	1288,0,-	1545,6,-
3636	480/70 R30 R1070 TL 141A141B	1288,0,-	1545,6,-
54353	480/70 R30 R8000 TL 147D HISPEED	1327,0,-	1592,4,-
54176	480/70 R30 RATDT *4 TL 152A152B	1418,0,-	1701,6,-
5009	480/70 R30 PERF70 XL 147D144 TL	1327,0,-	1592,4,-
54354	540/65 R30 R9000EV TL 143A143B	1492,0,-	1790,4,-
54351	540/65 R30 R9000EV TL 150D HISPEED	1538,0,-	1845,6,-
3304	600/65 R30 MAXTRAC TL 149A149B	2510,0,-	3012,0,-
4528	600/70 R30 AD2RATD TL 159A159B	2886,0,-	3463,2,-
1508	600/70 R30 MAXTRAC TL 158A158B SEVERE	2510,0,-	3012,0,-
54349	620/75 R30 R7000 TL 163A 23.1R30	2548,0,-	3057,6,-
54201	650/75 R32 RATDT TL 172A172B	3155,0,-	3786,0,-
54241	800/65 R32 RATDT *3 TL 172A172B R-1	4509,0,-	5410,8,-
54447	900/60 R32 RAT23 TL 176A	6875,0,-	8250,0,-
54196	23.1 R34 RAT23 *1 TL R-1	5458,0,-	6549,6,-
54275	290/95 R34 R9000 TL 131A	1085,0,-	1302,0,-
54276	320/85 R34 R9000 TL 133A133B	1331,0,-	1597,2,-
54429	380/85 R34 RATFWD TL 137A137B	1051,0,-	1261,2,-
1072	420/85 R34 PERF85 TL 142A142B	1106,0,-	1327,2,-
3622	420/85 R34 R1085 TL 142A139B	1106,0,-	1327,2,-
54453	420/85 R34 RATDT TL 147A	1139,0,-	1366,8,-
2377	460/85 R34 PERF85 TL 147A147B	1411,0,-	1693,2,-
54365	460/85 R34 R8000SS TL 147A144B 18.4R34	1453,0,-	1743,6,-

	Mõõt	Hind km-ta	Hind km-ga
3421	480/70 R34 PERF70 TL 143D140E	1358,0,-	1629,6,-
3637	480/70 R34 R1070 TL 143A143B	1358,0,-	1629,6,-
3422	520/70 R34 PERF70 TL 148D145E	1695,0,-	2034,0,-
3638	520/70 R34 R1070 TL 148A148B	1695,0,-	2034,0,-
54401	540/65 R34 R9000EV TL 145A145B	1543,0,-	1851,6,-
54482	540/65 R34 R9000EV TL 152D149E	1589,0,-	1906,8,-
54402	600/65 R34 R9000EV TL 151A151B	1964,0,-	2356,8,-
1252	600/65 R34 R9000EV TL 151A151B HARMTYRE	1964,0,-	2356,8,-
54109	710/75 R34 RATDT *2 TL 168A168B	4949,0,-	5938,8,-
2378	320/85 R36 PERF85 TL 128A128B	656,0,-	787,2,-
2379	340/85 R36 PERF85 TL 132A132B	731,0,-	877,2,-
3624	340/85 R36 R1085 TL 132A129B	731,0,-	877,2,-
54219	18.4 R38 RADCSG *2 TL 146A R-2	1853,0,-	2223,6,-
54346	380/80 R38 RATDT TL 142A142B	1679,0,-	2014,8,-
54216	20.8 R38 RADCSG *2 TL 153A R-2	2461,0,-	2953,2,-
54269	320/85 R38 R9000 TL 143A143B	1229,0,-	1474,8,-
2380	340/85 R38 PERF85 TL 133A133B	803,0,-	963,6,-
3617	340/85 R38 R1085 TL 133A130B	803,0,-	963,6,-
2381	420/85 R38 PERF85 TL 144A144B	1220,0,-	1464,0,-
3611	420/85 R38 R1085 TL 144A141B	1220,0,-	1464,0,-
2382	460/85 R38 PERF85 TL 149A149B	1561,0,-	1873,2,-
3608	460/85 R38 R1085 TL 149A146B	1561,0,-	1873,2,-
54366	460/85 R38 R8000SS TL 149A146B 18.4R38	1608,0,-	1929,6,-
54367	460/85 R38 RATDT TL 149A146B 18.4R38	1608,0,-	1929,6,-
3423	480/70 R38 PERF70 TL 145D142E	1471,0,-	1765,2,-
3639	480/70 R38 R1070 TL 145A145B	1474,0,-	1768,8,-
54431	480/80 R38 RAT23 TL 149A	1637,0,-	1964,4,-
54432	520/85 R38 RAT23 TL 155A	2073,0,-	2487,6,-
3424	520/70 R38 PERF70 TL 150D147E	1921,0,-	2305,2,-
3640	520/70 R38 R1070 TL 150A150B	1921,0,-	2305,2,-
2383	520/85 R38 PERF85 TL 155A155B	2073,0,-	2487,6,-
3612	520/85 R38 R1085 TL 155A152B	2073,0,-	2487,6,-
54368	520/85 R38 R8000SS TL 155A152B 20.8R38	2073,0,-	2487,6,-
54369	520/85 R38 RATDT TL 155A152B 20.8R38	2073,0,-	2487,6,-
54360	540/65 R38 R9000EV TL 147A147B	1706,0,-	2047,2,-
3425	580/70 R38 PERF70 TL 155D152E	2551,0,-	3061,2,-
3641	580/70 R38 R1070 TL 155A155B	2551,0,-	3061,2,-
54361	600/65 R38 R9000EV TL 153A153B	2139,0,-	2566,8,-
1251	600/65 R38 R9000EV TL 153A153B HARMTYRE	2139,0,-	2566,8,-
54362	650/65 R38 R9000EV TL 157A157B	2841,0,-	3409,2,-
1254	650/65 R38 R9000EV TL 157A157B HARMTYRE	2841,0,-	3409,2,-
54481	650/65 R38 R9000EV TL 163D163E	2926,0,-	3511,2,-
4870	650/75 R38 MAXTRAC 169D TL	4163,0,-	4995,6,-
1507	650/85 R38 MAXTRAC TL 173A173B SEVERE	5147,0,-	6176,4,-
1076	710/70 R38 MAXTRAC TL 171A171B SEVERE	4066,0,-	4879,2,-
4088	710/70 R38 MAXTRAC TL 171D168E SEVERE	4676,0,-	5611,2,-
54320	800/70 R38 RDT23 TL 173A173B	5694,0,-	6832,8,-
54277	320/90 R42 R9000 TL 139A139B	1638,0,-	1965,6,-

	Mõõt	Hind km-ta	Hind km-ga
4713	460/85 R42 PERF85 TL 156D153E	1984,0,-	2380,8,-
4711	460/85 R42 PERF85 TL 150D147E	1927,0,-	2312,4,-
4588	480/80 R42 RAT23 154A154B	1971,0,-	2365,2,-
54424	480/80 R42 RAT23 TL 151A151B	1927,0,-	2312,4,-
4717	520/85 R42 PERF85 TL 162D159E	2601,0,-	3121,2,-
1790	520/85 R42 RADCSG *2 TL 157A R-2	2679,0,-	3214,8,-
54436	520/85 R42 RDT23 TL 157A	2601,0,-	3121,2,-
4715	520/85 R42 PERF85 TL 157D154E	2526,0,-	3031,2,-
1506	620/70 R42 MAXTRAC TL 160A160B	3132,0,-	3758,4,-
1505	650/65 R42 R9000EV TL 158A158B	3193,0,-	3831,6,-
4527	710/70 R42 AD2RATD TL 179A179B	6557,0,-	7868,4,-
1504	710/70 R42 MAXTRAC TL 173A173B SEVERE	5702,0,-	6842,4,-
54272	900/50 R42 R9000 TL 168A168B	4866,0,-	5839,2,-
54234	14.9 R46 RAT23 *4 TL 145A145B R-1	2955,0,-	3546,0,-
54254	320/90 R46 R9000 *5 TL 148A148B	1740,0,-	2088,0,-
54350	380/90 R46 R9000 TL 152A152B	2048,0,-	2457,6,-
54434	480/80 R46 RAT23 TL 158A	3276,0,-	3931,2,-
54474	520/85 R46 RDT23 TL 158A158B	5592,0,-	6710,4,-
54280	230/95 R48 R9000 TL 134A134B	1331,0,-	1597,2,-
54255	320/90 R50 R9000 *4 TL 148A148B	1597,0,-	1916,4,-
2282	380/105 R50 R9100 TL 168A168B	2205,0,-	2646,0,-
54438	380/90 R50 R9000 *4 TL 151A151B	2048,0,-	2457,6,-
54347	480/80 R50 RDT23 TL 159A	5237,0,-	6284,4,-
54247	320/90 R54 RATDT TL 149A149B	1863,0,-	2235,6,-
54439	380/90 R54 R9000 *4 TL 152A152B	2375,0,-	2850,0,-
	Traktorite diagonaalrehvid		
53002	11.0/65-12 RANCHER 6 TT	299,0,-	358,8,-
52021	5.00 -12 RANCHER 6 TT	131,0,-	157,2,-
52434	6.5/80 -12 RANCHER 2 TT	126,0,-	151,2,-
52027	7.00 -12 RANCHER 6 TT	216,0,-	259,2,-
52040	8.0/75 -15 RANCHER 6 TT	251,0,-	301,2,-
52046	10.0/75-15.3 RANCHER 8 TT	323,0,-	387,6,-
52050	27X10 -15.3 RANCHER 8 TT	299,0,-	358,8,-
53023	9.5 -20 ATC 6 TT	301,0,-	361,2,-
53048	11.2 -24 ATC 8 TT	358,0,-	429,6,-
53060	12.4 -24 ATC 8 TT	416,0,-	499,2,-
53066	13.6 -24 ATC 6 TT	474,0,-	568,8,-
53087	14.9 -24 ATC 8 TT	557,0,-	668,4,-
53036	9.5 -24 ATC 6 TT	301,0,-	361,2,-
53724	14.9 -26 SAT 10 TL	921,0,-	1105,2,-
53606	23.1 -26 ATC 14 TT	1579,0,-	1894,8,-
53652	28L -26 SAT23 14 TT	2324,0,-	2788,8,-
53651	28L -26 SAT23 12 TL	2535,0,-	3042,0,-
53137	11.2 -28 ATC 6 TT	349,0,-	418,8,-
53151	12.4 -28 ATC 6 TT	395,0,-	474,0,-
53166	13.6 -28 ATC 6 TT	472,0,-	566,4,-
53182	14.9 -28 ATC 6 TT	539,0,-	646,8,-
53198	16.9 -28 ATC 8 TT	713,0,-	855,6,-

	Mõõt	Hind km-ta	Hind km-ga
53220	14.9 -30 ATC 6 TT	631,0,-	757,2,-
53232	16.9 -30 ATC 8 TT	806,0,-	967,2,-
53237	16.9 -30 ATFR 8 TT F-202	660,0,-	792,0,-
53149	18.4 -30 ATC 12 TT	892,0,-	1070,4,-
53257	18.4 -30 ATFR 8 TT	727,0,-	872,4,-
53521	23.1 -30 F202 14 TT	1911,0,-	2293,2,-
53798	24.5 -32 F202 20 TT	2621,0,-	3145,2,-
1674	24.5 -32 PULLER2 TL	3779,0,-	4534,8,-
53659	30.5L -32 SAT23 16 TL R-1	1138,0,-	1365,6,-
54389	30.5L -32 PULLER2 TL HP	4808,0,-	5769,6,-
53294	16.9 -34 OCM 8 TT	872,0,-	1046,4,-
53301	18.4 -34 ATC 8 TT	857,0,-	1028,4,-
53331	13.6 -36 ATC 6 TT	603,0,-	723,6,-
53775	15.5 -38 SAT23 6 TL	1001,0,-	1201,2,-
53367	18.4 -38 ATCDT 8 TT	1116,0,-	1339,2,-
53374	20.8 -38 ATC 10 TT	1906,0,-	2287,2,-
54483	520/85 D38 SATHD TL 173A	2551,0,-	3061,2,-
53661	18.4 -38 SAT23 14 TL R-1	1938,0,-	2325,6,-
	Flotation		
52003	4.00 -8 OCT114 2 TT	72,0,-	86,4,-
52197	5.0 -10 OCT131 2 TT	110,0,-	132,0,-
52201	4.00/5 -12 OCT114 2 TT	103,0,-	123,6,-
1270	31X15.50-15FLT23 8 TL	394,0,-	472,8,-
52034	5.00 -15 OCT114 2 TT	115,0,-	138,0,-
52378	11L -15 CHGG3R 8 TL	355,0,-	426,0,-
52205	11.5/80-15.3OCT131 12 TT	377,0,-	452,4,-
53648	11.00 -16 CGUID4R 12 TL	579,0,-	694,8,-
55104	11L -16 INDSP 12 TL	458,0,-	549,6,-
40021	7.00 -16 B247 12 TT K	238,0,-	285,6,-
40026	7.50 -16 B247 12 TT 121K120K	288,0,-	345,6,-
53658	11.00 -16 CGUID4R 8 TL	454,0,-	544,8,-
56103	16.5L -16.1NPWRIMP 10 TL	1255,0,-	1506,0,-
53490	7.50 -18 OCT131 6 TT	234,0,-	280,8,-
53396	48X25.00-20FLT23DT 10 TL HF3	2384,0,-	2860,8,-
43033	7.50 -20 B247 12 TT 128K127K	403,0,-	483,6,-
53719	7.50 -20 CH3RHD 6 TT F-2	260,0,-	312,0,-
52171	7.50 -20 OCT131 6 TT	288,0,-	345,6,-
54352	1050/50 R25 FLT23DT TL 172A172B HF3	5748,0,-	6897,6,-
5177	54X37.00-25FL23DTL 20 TL	2828,0,-	3393,6,-
53770	54X37.00-25FL23DTL 12 TL	2571,0,-	3085,2,-
53508	66X43.00-25FLT23DT 10 TL HF3	4206,0,-	5047,2,-
53700	66X43.00-25FLT23DT 16 TL HF3	4792,0,-	5750,4,-
56243	66X44.00-25FLTAT 16 TL HF1	4364,0,-	5236,8,-
53664	67X34.00-25FLT23 12 TL HF2	3324,0,-	3988,8,-
53720	73X44.00-32FLT23DT 16 TL HF3	6012,0,-	7214,4,-
	Tööstusrehvid		
53786	215/70 -15 DURAFDT 8 TL NHS	229,0,-	274,8,-
56287	27X8.50-15 STL 6 TL	280,0,-	336,0,-

	Mõõt	Hind km-ta	Hind km-ga
53793	390/60 -15 DURAFDT 8 TL NHS	364,0,-	436,8,-
40047	10 -16.5 STDUP 6 TL NHS	280,0,-	336,0,-
56250	12 -16.5 STDUP 8 TL NHS	348,0,-	417,6,-
53788	265/70 -16.5 DURAFDT 8 TL NHS	318,0,-	381,6,-
53819	265/70 -16.5 DURAFHD 8 TL	198,0,-	237,6,-
53789	305/70 -16.5 DURAFDT 10 TL NHS	433,0,-	519,6,-
53824	305/70 D16.5 DURAFHD 10 TL NHS HEAVYDU	267,0,-	320,4,-
53807	395/55 -16.5DURAFDT 12 TL NHS	586,0,-	703,2,-
53406	10.5/80-18 ATU 10 TL	362,0,-	434,4,-
53012	10.5/80-18 ATU 10 TT	362,0,-	434,4,-
53407	12.0/12.5-18ATU 12 TL	471,0,-	565,2,-
53007	12.0/12.5-18ATU 12 TT	471,0,-	565,2,-
56297	280/80 -18 STL TL 132A 10.5-18	387,0,-	464,4,-
56296	340/80 -18 STL TL 143A 12.5-18	460,0,-	552,0,-
1748	340/80 R18 DURA-UT TL 143A	666,0,-	799,2,-
54475	340/80 R18 R8000UT TL 136A	609,0,-	730,8,-
2009	405/70 R18 DURA-UT TL 141B	802,0,-	962,4,-
40049	15 -19.5 STDUP 12 TL	678,0,-	813,6,-
53821	385/65 -19.5 DURAFND 12 TL	995,0,-	1194,0,-
53790	445/65 -19.5 DURAFND 16 TL	1393,0,-	1671,6,-
53029	10 -20 ATU 10 TT	296,0,-	355,2,-
53635	12.5 -20 ATU 10 TL	553,0,-	663,6,-
56295	280/80 -20 STL TL 133A 10.5-20	408,0,-	489,6,-
2008	335/80 R20 DURA-UT TL 136B	736,0,-	883,2,-
56228	340/80 -20 STL TL 144A 12.5-20	537,0,-	644,4,-
2003	365/80 R20 DURA-UT TL 141B	748,0,-	897,6,-
2543	400/70 -20 STL TL 144A	695,0,-	834,0,-
1060	400/70 R20 DURA-UT TL 149A	894,0,-	1072,8,-
54397	400/70 R20 R8000UT TL 149A	817,0,-	980,4,-
53063	12.4 -24 ATU 12 TT	474,0,-	568,8,-
53705	14.9 -24 ATU 12 TL	618,0,-	741,6,-
53818	16.9 -24 ATU 12 TL	915,0,-	1098,0,-
53347	17.5L -24 ATU 10 TL USA	958,0,-	1149,6,-
53395	19.5L -24 ATU 12 TL	1189,0,-	1426,8,-
54449	400/70 R24 R8000UT TL 158A	1176,0,-	1411,2,-
53782	400/80 -24 S8000UT TL 156A	1010,0,-	1212,0,-
54398	400/80 R24 R8000UT TL 156A	1176,0,-	1411,2,-
2937	460/70 R24 DURA-UT TL 159A	1076,0,-	1291,2,-
54441	460/70 R24 R8000UT TL 150A	1012,0,-	1214,4,-
2685	500/70 R24 DURAFRT TL 157A	1303,0,-	1563,6,-
56225	480/80 -26 STL TL 160A 18.4-26	1000,0,-	1200,0,-
1771	480/80 R26 DURA-UT TL 160A	1303,0,-	1563,6,-
53211	16.9 -28 ATU 10 TT	996,0,-	1195,2,-
53213	16.9 -28 ATU 14 TT	1016,0,-	1219,2,-
53665	18.4 -28 ATU 12 TL R-4	1026,0,-	1231,2,-
56193	440/80 -28 STL TL 156A 16.9-28	946,0,-	1135,2,-
1770	440/80 R28 DURA-UT TL 156A	1346,0,-	1615,2,-
54448	440/80 R28 R8000UT TL 156A	1229,0,-	1474,8,-

	Mõõt	Hind km-ta	Hind km-ga
53243	16.9 -30 ATU 10 TT	1139,0,-	1366,8,-
53245	16.9 -30 ATU 14 TT	1139,0,-	1366,8,-
	Metsarehvid		
53105	18.4 -26 FOREST 10 TT CRC	1734,0,-	2080,8,-
53115	23.1 -26 FOREST 14 TT CRC	2768,0,-	3321,6,-
53113	23.1 -26 FOREST 10 TT CRC	2918,0,-	3501,6,-
53564	28L -26 FOREST 14 TT CRC	2791,0,-	3349,2,-
53823	28L -26 FOREST 16 TL LS2 CRC-SS	3655,0,-	4386,0,-
53747	28L -26 FOREST 16 TT LS2 CRC	3318,0,-	3981,6,-
53671	600/55 -26.5 FOREST 20 TL HF2 FORY-EL	2112,0,-	2534,4,-
53660	700/50 -26.5 FOREST 20 TL HF2 FORY-EL	2593,0,-	3111,6,-
53246	16.9 -30 FOREST 10 TT CRC	1900,0,-	2280,0,-
53832	24.5 -32 FOREST 16 TL	3461,0,-	4153,2,-
53282	24.5 -32 FOREST 16 TT CRC	4153,0,-	4983,6,-
2286	30.5L -32 FOREST 26 TL LS2 CRC-SS	5309,0,-	6370,8,-
2353	30.5L -32 FOREST 16 TL LS2	4514,0,-	5416,8,-
5175	35.5L -32 FOREST 24 TL	5727,0,-	6872,4,-
53311	18.4 -34 FOREST 10 TT CRC	2065,0,-	2478,0,-
53757	700/55 -34 FOREST 14 TL FORTL	2696,0,-	3235,2,-
	Mittevedavad rehvid		
52017	4.00 -12 RIB 4 TT	97,0,-	116,4,-
52015	4.00 -12 TRACIMP 4 TT	104,0,-	124,8,-
52009	6 -12 TRTC 2 TT	135,0,-	162,0,-
52030	8.50 -12 RIB 6 TT	190,0,-	228,0,-
53642	31X13.50-15 TURF 8 TL	284,0,-	340,8,-
52031	4.00 -15 RIB 4 TT	103,0,-	123,6,-
52033	5.00 -15 RIB 6 TT	120,0,-	144,0,-
55040	8.25 -15 TRAILER 18 TT	429,0,-	514,8,-
52350	11L -15 FARM 8 TL I-1	272,0,-	326,4,-
52052	10 -15.3 FARM 10 TT	275,0,-	330,0,-
52061	11.5 -15.3 FARM 12 TT	411,0,-	493,2,-
52063	11.5 -15.3 FARM 16 TT	407,0,-	488,4,-
52351	10.00 -16 3RIB 10 TL	432,0,-	518,4,-
52271	10.50 -16 FARM 14 TT	470,0,-	564,0,-
52135	11.00 -16 3RIB 8 TL	477,0,-	572,4,-
52078	5.50 -16 RIB 6 TT	130,0,-	156,0,-
52083	6.00 -16 3RIB 6 TT	152,0,-	182,4,-
52081	6.00 -16 RIB 6 TT	152,0,-	182,4,-
52089	6.00 -16 TRACIMP 6 TT	140,0,-	168,0,-
52091	6.50 -16 RIB 6 TT	171,0,-	205,2,-
52099	6.50 -16 TRACIMP 8 TT	185,0,-	222,0,-
52191	7.00 -16 RIB 8 TT	199,0,-	238,8,-
52109	7.50 -16 3RIB 8 TT	208,0,-	249,6,-
52209	7.50 -16 RIB 10 TT	227,0,-	272,4,-
52106	7.50 -16 RIB 8 TT	210,0,-	252,0,-
52115	7.50 -16 TRACIMP 8 TT	207,0,-	248,4,-
52213	9.00 -16 4RIB 10 TL	455,0,-	546,0,-
52332	13.50 -16.1PWRIMP 8 TL	892,0,-	1070,4,-

	Mõõt	Hind km-ta	Hind km-ga
53752	13.50 -16.1ANS 10 TL	627,0,-	752,4,-
53820	14L -16.1 4RIB 12 TL	795,0,-	954,0,-
52345	16.5L -16.1 FARM 10 TL I-1 NZ	1666,0,-	1999,2,-
52328	21.5L -16.1 FARM 14 TL	1615,0,-	1938,0,-
52369	21.5L -16.1 PWRIMP 14 TL	1714,0,-	2056,8,-
52150	10.00 -18 FARM 8 TT	335,0,-	402,0,-
52224	12.5/80-18 4RIB 12 TL	532,0,-	638,4,-
52222	13.0/65-18 FARM 14 TT	422,0,-	506,4,-
52146	7.50 -18 3RIB 8 TT	238,0,-	285,6,-
52216	7.50 -18 RIB 10 TT	261,0,-	313,2,-
52194	7.50 -18 RIB 8 TL	267,0,-	320,4,-
52153	4.00 -19 RIB 4 TT	116,0,-	139,2,-
52155	4.50 -19 TRACIMP 2 TT	113,0,-	135,6,-
52159	6.00 -19 RIB 6 TT	179,0,-	214,8,-
52165	6.50 -20 RIB 6 TT	216,0,-	259,2,-
52166	7.50 -20 RIB 6 TT	282,0,-	338,4,-
52193	4.00/4.50-21RIB 4 TT	124,0,-	148,8,-
52225	5.00/5.25-21RIB 6 TT	173,0,-	207,6,-
52377	9.00 -24 RIBIMP 8 TT 356-212	550,0,-	660,0,-
55002	16.9 -24 ANS 6 TL	915,0,-	1098,0,-
53702	18.4 -26 ANS 6 TL	908,0,-	1089,6,-
53119	23.1 -26 ANS 12 TL	1643,0,-	1971,6,-
53599	28L -26 ANS 12 TL R-3	1335,0,-	1602,0,-
53809	28L -26 ANS 16 TL R-3	2032,0,-	2438,4,-
53446	24.5 -32 ANS 12 TL	1979,0,-	2374,8,-